

UMR Nancy-Université - INRA
INRA Agronomie et Environnement Nancy-Colmar
2 avenue de la forêt de Haye
54500 VANDOEUVRE LES NANCY (FRANCE)

| |
|--------|
| RELEVE |
|--------|

Field name : Natural reserve Filsenberg
Station : Oschingen
Commune : Mössingen, Stadt
Subarea : Baden-Württemberg
Farmer :

Code of relevé : DEMO_GERMANY_1
Method of relevé : R%
Date of relevé : 22 June 2010
Relevé area :

Author 1 : TONN Bettina / Landwirtschaftliches Zentrum für Rinderhaltung Aulendorf (D)
Author 2 : /
Author 3 : /
Author 4 : /

Botanical composition

| Species | R% |
|---------|----|
|---------|----|

Agronomical value

Pastoral Value (/100) : 57.5

| Forage categories | |
|---------------------------|------|
| Assez Bonnes graminées | 23.2 |
| Bonnes graminées | 16.8 |
| Très bonnes graminées | 14.6 |
| Diverses fourragères | 11.6 |
| Très bonnes légumineuses | 9.6 |
| Diverses Médiocres | 5.5 |
| Graminées médiocres | 4.6 |
| Diverses non fourragères | 4.4 |
| Assez Bonnes légumineuses | 1.6 |
| Bonnes légumineuses | 0.9 |
| | 0.1 |

| Fonctionnal types | |
|-------------------|------|
| | 41.3 |
| b | 20.9 |
| C | 19.1 |
| B | 17.3 |
| A | 1.4 |

Ecological value

| | |
|---|------|
| Species richness | 59 |
| Number of oligotrophic species | 15 |
| Contribution of oligotrophic species | 8.7 |
| Shannon diversity index | 4.64 |
| Shannon equitability index | 1.13 |
| Simpson diversity index | 0.93 |
| Simpson equitability index | 1.01 |
| Red list : number of disappeared species | 0 |
| Red list : number of species probably disappeared | 0 |
| Red list : Number of endangered species | 0 |
| Red list : Number of vulnerable species | 0 |
| Red list : Number of rare species | 0 |
| Total number of red list species | 0 |